



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/820,186	04/07/2004	Thomas R. Marsh	9066-23DV	7421
20792	7590	08/28/2006	EXAMINER	
MYERS BIGEL SIBLEY & SAJOVEC			LUGO, CARLOS	
PO BOX 37428			ART UNIT	PAPER NUMBER
RALEIGH, NC 27627			3676	

DATE MAILED: 08/28/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 10/820,186	Applicant(s) MARSH ET AL.	
	Examiner Carlos Lugo	Art Unit 3676	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 16 August 2006.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1,4-11,13 and 14 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1,4-11,13 and 14 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 07 April 2004 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. This Office Action is in response to applicant's RCE filed on August 16, 2006.

Drawings

2. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the cushioning projection having at least one opening at least one end, as claimed in claim 9, must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement-drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the examiner does not accept the changes, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) The invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

4. **Claim 5 is rejected** under 35 U.S.C. 102(b) as being anticipated by US Pat No 2,858,583 to McEvoy et al (McEvoy).

McEvoy discloses a device comprising a base member (27 and 28) having opposite first and second faces and a cushioning projection (25) extending outwardly from the second face of the base member and covering and defining a void within the base member. The projection has a planar portion opposite the convex portion. The planar portion of the base member across the void has a thickness less than the thickness of the base member.

Claim Rejections - 35 USC § 103

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

6. **Claims 1,4,6-8,10,11,13, and 14 are rejected** under 35 U.S.C. 103(a) as being unpatentable over US Pat No 3,952,455 to McAlarney (McAlarney '455).

Regarding claims 1,13 and 14, McAlarney '455 discloses an article comprising first and second confronting components (1 and 2), wherein one of the components

is a frame (1) and the other one is a movable member (2) connected to the frame and movable from an open and a closed position.

The article further comprises a device comprising a base member (20) having opposite first and second faces and a cushioning projection extending outwardly from the second face of the base member and covering and defining a void (26-29) within the base member. The base member has a planar portion extending away from the cushioning projection on opposite sides of the projection. A clip (21,23 and 25) is connected to the base member. The clip has a first member (21) connected to the base member, a second member (23) connected to the first member, and a cavity formed by the base member and the first and second members of the clip. The device is formed as a unitary member and is entirely formed of a polymeric material (Col. 3 Lines 42-62).

As to the fact that the article claimed is an article of furniture, McAlarney '455 discloses that while the device is discussed to be use on a refrigerator, it may be employed for various purposes where it has a door and a frame so as to give cushion when the door is closed (Col. 1 Lines 8-22). Therefore, the device described by McAlarney '455 is capable of being used in an article of furniture so as to provide cushioning to the door when the door is closed.

As to claim 4, McAlarney '455 illustrates that the projection has a convex portion extending outwardly from the second face of the base member and the base member has a planar portion opposite the convex portion across from the void.

As to claim 6, McAlarney '455 illustrates that the convex portion of the projection has a thickness that is less than the thickness of the base member.

As to claim 7, McAlarney '455 illustrates that the cushioning projection is elongated in a direction generally perpendicular to the thickness of the base member.

As to claim 8, McAlarney '455 illustrates that the cushioning projection is generally semi-circular.

As to claim 10, McAlarney '455 illustrates that the cushioning projection is closed at both ends.

McAlarney '455 fails to positively disclose that the cushioning projection has a thickness of between about .020 and about .090 inches. McAlarney '455 illustrates that the cushioning projection is capable of having a thickness of between about .020 and about .090 inches.

Therefore, it would have being obvious to one having ordinary skill in the art at the time the invention was made to provide the cushioning projection described by McAlarney '455 with a thickness of between about .020 and about .090 inches since the change in the dimension of a prior art device is a design consideration within the skill of the art. Furthermore, the current specification fails to shows or demonstrates any showing of criticality having this dimension as the thickness of the cushioning portion.

7. Claims 1,4,6-8,10, and 11 are rejected under 35 U.S.C. 103(a) as being unpatentable over US Pat No 2,185,161 to Tinnerman in view of US Pat No 1,998,791 to Schanz.

Regarding claim 1, Tinnerman discloses an article of furniture (Col. 1 Lines 1-7) comprising first and second confronting components (A and B), wherein one of the components is a frame (A) and the other one is a movable member (B) connected to the frame and movable from an open and a closed position.

The article further comprises a device (C) comprising a base member having opposite first and second faces and a cushioning projection (Figures 1 and 2) extending outwardly from the second face of the base member and covering and defining a void within the base member. The device is formed as a unitary member and entirely form of a polymeric material.

However, Tinnerman fails to disclose that the device further comprises a clip connected to the base member. Tinnerman discloses that the base member is attached by other means.

Schanz teaches that it is well known in the art to have a base member having a cushioning projection (14) and a clip (15) to attach the device to a surface. The device is formed as a unitary member and entirely formed of a polymeric material. Schanz further teach that the clip (15) has a first member (15) connected to a base member and a second member (16 and 16') and a cavity formed between the first and second members and the base member.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to provide the device described by Tinnerman with a clip, as taught by Schanz, in order to attach and secure the device to a surface with a simple and easy to install structure.

As to claim 4, Tinnerman illustrates that the projection has a convex portion extending outwardly from the second face of the base member and the base member has a planar portion opposite the convex portion across from the void (when the convex portion is compressed).

As to claim 6, Tinnerman illustrates that the convex portion of the projection has a thickness that is less than the thickness of the base member.

As to claim 7, Tinnerman illustrates that the cushioning projection is elongated in a direction generally perpendicular to the thickness of the base member.

As to claim 8, Tinnerman illustrates that the cushioning projection is generally semi-circular.

As to claim 10, Tinnerman illustrates that the cushioning projection is closed at both ends.

As to claim 11, Tinnerman illustrates that the cushioning projection is capable of having a thickness of between about .020 and about .090 inches.

Therefore, it would have being obvious to one having ordinary skill in the art at the time the invention was made to provide the cushioning projection described by Tinnerman with a thickness of between about .020 and about .090 inches since the change in the dimension of a prior art device is a design consideration within the skill of the art. Furthermore, the current specification fails to shows or demonstrates any showing of criticality having this dimension as the thickness of the cushioning portion.

8. **Claim 5 is rejected** under 35 U.S.C. 103(a) as being unpatentable over US Pat No 3,952,455 to McAlarney (McAlarney '455) in view of US Pat No 2,858,583 to McEvoy et al (McEvoy).

McAlarney '455 discloses a device comprising a base member (20) having opposite first and second faces and a cushioning projection extending outwardly from the second face of the base member and covering and defining a void (26-29) within the base member. The projection has a planar portion opposite the convex portion.

However, McAlarney '455 fails to disclose that the planar portion of the base member across the void has a thickness less than the thickness of the base member.

McEvoy teaches that it is well known in the art to provide a cushioning projection (25) extending outwardly from a base member and covering and defining a void within the base member, with a planar portion of the base member across the void, opposite the convex portion, that has a thickness less than the thickness of the base member. McEvoy teaches that it could have the same thickness (Figure 2), more thickness (Figure 2a) or less thickness (Figure 2b).

Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to provide the planar portion across the void of McAlarney '455 device with less thickness than the base member, as taught by McEvoy, in order to aid in the cushioning of the door when is closed with respect to a doorframe.

9. **Claim 9 is rejected** under 35 U.S.C. 103(a) as being unpatentable over US Pat No 2,185,161 to Tinnerman in view of US Pat No 1,998,791 to Schanz and further in view of US Pat No 2,161,648 to Widman.

Tinnerman, as modified by Schanz, fails to disclose that the projection has an opening at an end of the projection.

Widman illustrates that the cushioning projection has an opening at one end (Figures 3-6).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to provide the device described by Tinnerman, as modified by Schanz, with an opening at one end, as taught by Widman, since the change in the shape of a prior art device is a design consideration within the level of skill of one skilled in the art that will not affect the cushion effect on the door when it is closed.

10. **Claim 13 is rejected** under 35 U.S.C. 103(a) as being unpatentable over US Pat No 2,185,161 to Tinnerman in view of US Pat No 1,998,791 to Schanz and further in view of US Pat No 6,148,584 to Wilson.

Tinnerman discloses a device (C) comprising a base member having opposite first and second faces and a cushioning projection (Figures 1 and 2) extending outwardly from the second face of the base member and covering and defining a void within the base member. The device is formed as a unitary member and entirely form of a polymeric material.

However, Tinnerman fails to disclose that the device further comprises a clip connected to the base member. Tinnerman discloses that the base member is attached by other means.

Schanz teaches that it is well known in the art to have a base member having a cushioning projection (14) and a clip (15) to attach the device to a surface. The device is formed as a unitary member and entirely formed of a polymeric material. Schanz further teach that the clip (15) has a first member (15) connected to a base member and a second member (16 and 16') and a cavity formed between the first and second members and the base member.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to provide the device described by Tinnerman with a clip, as taught by Schanz, in order to attach the device to a surface with a simple and easy to install structure.

Further, Tinnerman fails to disclose that the base member has a planar portion extending away from the cushioning projection on opposite sides of the projection. Tinnerman only discloses that the base member has a planar portion extending away from the cushioning projection on one side of the protrusion.

Wilson teaches that it is well known in the art to have a planar portion extending away from the cushioning projection on opposite sides of the projection (Figure 1).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to provide the cushioning portion described by Tinnerman with two planar portions at opposing sides of the projection, as taught by Wilson, since,

first, the duplication of components of a prior art device is a design consideration within the skill of the art, and second, in order to provide support for the cushioning portion. Furthermore, the current specification fails to shows or demonstrates any showing of criticality having these planar portions at opposite sides of the projection.

Response to Arguments

11. Applicant's arguments filed on August 16, 2006 have been fully considered but they are not persuasive.

First, as to the drawings objection, after further consideration, the objection is made again so as to illustrate the cushioning projection having one opening. The applicant is reminded that each limitation claimed should be illustrated.

Second, the applicant argues that McAlarney '455 clip does not capture a furniture component (Page 6 Line 1). Specifically, the applicant arguments are base in the fact that the clip described by McAlarney '455 is held in place a strip 16.

Clearly, McAlarney '455 illustrates that the strip 16 is part of the door 2 (by means of the screw). Then, if the strip is attached to the door, then the clip is considered to capture a furniture component. Therefore, the argument is not persuasive.

The applicant also argues the rejection in view of Widman, Tinnerman and McEvoy in view of Schanz (Page 6 Line 12).

At the instant, the current amendment, claiming the combination of an article of furniture with the cushioning device, overcomes the rejection in view of Widman and McEvoy, as modified by Schanz.

As to the rejection in view of Tinnerman, as modified by Schanz, the arguments are not persuasive. At the instant, by providing the cushioning device described by Tinnerman with a clip, as taught by Schanz, it would provide a simple and easy way to install structure. Therefore, the rejection is maintained.

The applicant further argues that McEvoy fails to disclose that the portion across the void is planar. A planar portion is a portion that is flat. At the instant, McEvoy illustrates that the portions are flat. Therefore, the argument is not persuasive.


As to the arguments with respect to claim 13, see arguments below with respect to claim 1.

Conclusion

12. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Carlos Lugo whose telephone number is 571-272-7058. The examiner can normally be reached on 10-7pm EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Brian Glessner can be reached on 571-272-6843. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

A handwritten signature in black ink, appearing to be 'CL' followed by a horizontal line.

Carlos Lugo
Patent Examiner
Art Unit 3676

August 21, 2006.